

久裕企業股份有限公司 函

地 址：235 新北市中和區中正路 872 號 7 樓之 1
電 話：02-8227-7999 分機 2204
傳 真：02-2222-6171
聯絡人：余宛蓁

受文者：醫院\診所\藥局

發文日期：中華民國 107 年 12 月 04 日
發文字號：字第 10712002 號
速別：普通
密等及解密條件或保密期限：普通
附件：新外盒圖示、新標籤圖示


主旨：嬌生股份有限公司楊森藥廠產品衛署菌疫輸字第 000911 號【欣普尼注射液】

外盒及標籤變更事宜，詳如說明段，函 請查照。

說明：

- 一、本公司為嬌生股份有限公司之經銷商。
- 二、嬌生股份有限公司楊森藥廠產品衛署菌疫輸字第 000911 號【欣普尼注射液】
(自批號 18C041MK 起)(Simponi Solution for injection)外盒變更：版號 v01 變為 v03，變更製造廠為美國廠(Baxter)，變更條碼。
- 三、嬌生股份有限公司楊森藥廠產品衛署菌疫輸字第 000911 號【欣普尼注射液】
(自批號 18C041MK 起)(Simponi Solution for injection)標籤變更：版號 v01 變為 v02，變更製造廠為美國廠(Baxter)。
- 四、上述變更，「欣普尼注射液 50mg/0.5mL 單支/盒裝」(Simponi Solution for injection)，預計自 2018 年 12 月上旬起之訂貨(批號：18C041MK)將陸續變更。特此通知，懇請 貴院持續支持與愛護，無任感荷。





Box

Simponi

PCC: 35759C

Global Graphic Services

janssen

Inge Vermeiren: Tel.: +32 (0)14606915 - E-mail: ivermei1@its.jnj.com
Shared mailbox: RA-JANBE-GRAPHDES@its.jnj.com

Format Ref:

S/B/3456-S2
(45x29x135)

Tech. info/Spec:

N/A

Country:

TW

Mat. ID Code:

35759C

File Name:

35759C.ai
(CS6-PC)

PMS 540

PMS 201

PMS 553

Discut spot to be printed

Varnish free

Varnish free & Used for glue

Perforation - - - - -

Date (Designer)

1. 14-APR-17 (Vincent)

2. 09-MAY-17 (Vincent)

3.

4.

5.

6.

7.




8.

9.




Label Simponi PCC: 35762B	Global Graphic Services  Inge Vermeiren: Tel.: +32 (0)14606915 - E-mail: ivermei1@its.jnj.com Shared mailbox: RA-JANBE-GRAPHDES@its.jnj.com		
<i>Format Ref:</i> S/L/3200-1 (32x27) <i>Tech. info/Spec:</i> N/A <i>Country:</i> TW <i>Mat. ID Code:</i> PCC <i>File Name:</i> 35762B.ai (CS6-PC)	Black PMS 540 PMS 583 White Background Lum Lack 7	Janssen Varnish Diecut (not to be printed)	<i>Date (Designer)</i> 1. 04-MAY-17 (Vincent) 2. 3. 4. 5. 6. 7. 8. 9.

新包裝內容物



新包裝外盒 part1



Solution for injection in pre-filled syringe
1 x pre-filled syringe
Subcutaneous use

欣普尼® 注射液 **Simponi[®] Golimumab**
50 mg/0.5 ml

Simponi[®] (golimumab): Solution for injection
 欣普尼® 注射液 (golimumab)
 50 mg/0.5 ml

Janssen J

Each pre-filled syringe contains 50 mg golimumab.
 Place all of the syringe and part of the plunger. The needle cover contains the needle, plunger and syringe.
 Before the pre-filled syringe is fit at your healthcare provider, the needle for 30 minutes before use.
 Place the needle for 30 minutes before use.
 Store in a refrigerator (2° - 8°C) do not freeze. Keep the pre-filled syringe in the outer carton to protect from light.
 From outside use.

Simponi[®] Golimumab
50 mg/0.5 ml

每支： 50 mg/0.5 ml 注射液
 欣普尼® 注射液 (golimumab)
 50 mg/0.5 ml

每盒： 1 x 50 mg/0.5 ml 注射液
 欣普尼® 注射液 (golimumab)
 50 mg/0.5 ml

Janssen J

© Janssen & Johnson, Inc. 2012
 6 712760 1082 15

