



## 荷商葛蘭素史克藥廠股份有限公司台灣分公司 書函

機關地址：10018 台北市忠孝西路一段 66 號 23 樓  
聯絡人：林彥廷 (02)2381-8866  
電子郵件信箱：allen.x.lin@gsk.com

受文者：裕利股份有限公司/吉程股份有限公司/裕翔藥品股份有限公司

發文日期：中華民國 112 年 6 月 6 日  
發文字號：GSK 112071 號

主旨：通知本公司藥品衛部藥輸字第 026315 號「安肺樂易利達 55/22 mcg 乾粉吸入劑(Anoro Ellipta 55/22 mcg Inhalation Powder)」產品外盒標籤仿單相關變更事宜，並請協助轉知各使用之醫療單位、中華民國藥師公會全國聯合會、社團法人台灣臨床藥學會及台灣年輕藥師協會。

說明：

一、本產品外盒、標籤及仿單變更說明如下：


1. 藥商地址由「台北市忠孝西路一段66號24樓」更新為「台北市忠孝西路一段66號23樓」
2. 移除商標右上角copy right “R”字樣
3. 移除本地代碼(公司內部使用代碼)

上述更新皆不影響相關療效及安全性，依藥品查驗登記準則毋需檢送中央衛生主管機關變更。

二、特請貴單位協助轉知該產品之變更事宜，懇請持續支持為禱。

荷商葛蘭素史克藥廠股份有限公司台灣分公司

負責人：余慧明



第 1 / 1 頁



30 Doses

55 micrograms/22 micrograms  
inhalation powder, pre-dispensed - umedidinium/vilanterol

**ANORO** ELLIPTA **55/22**



**55/22**

**ANORO** ELLIPTA

55 micrograms/22 micrograms  
inhalation powder, pre-dispensed

**ANORO** ELLIPTA **55/22**

55 micrograms/22 micrograms  
inhalation powder, pre-dispensed  
umedidinium/vilanterol

Each delivered dose contains 55 micrograms  
umedidinium (equivalent to 65 micrograms of  
umedidinium bromide) and 22 micrograms  
vilanterol (as trifenate).  
Also contains lactose monohydrate and  
magnesium stearate.



**55/22**

**ANORO** ELLIPTA

55 micrograms/22 micrograms  
inhalation powder, pre-dispensed  
umedidinium/vilanterol  
Inhalation use, ONCE DAILY

# 安肺樂易利達 55/22 mcg 乾粉吸入劑

衛部藥輸字第026315號  
本藥須由醫師處方使用



1 Inhaler of 30 doses

**30** Doses

INNOVIVA



521 950279

000000076835

Trade marks are owned by or licensed to the GSK group of companies.  
©2022 GSK group of companies or its licensor.

商：荷蘭葛蘭素史克藥廠股份有限公司台灣分公司  
址：台北市忠孝西路一段66號23樓  
總經銷：Glaxo Operations UK Limited  
廠址：Priony Street, Ware, Hertfordshire, SG12 0DJ, United Kingdom





